

SAFETY DATA SHEET

According to Safe Work Australia

Printing date 12.10.2016

Revision: 12.10.2016

1 . IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

Product Name: Black Label Graffiti Remover

Other Means of Identification: Mixture

Other Name: Graffiti Remover

Recommended Use of the Chemical and Restriction on Use: Graffiti remover, Gum Remover, Glue Remover

Details of Manufacturer or Importer:

Sosafe Speciality Products Pty Ltd
50 Chard Rd
Brookvale NSW 2100

Phone Number: 02 9938 1800

Emergency telephone number: National Poison Information Centre: 13 11 26

2 . HAZARDS IDENTIFICATION

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)



Serious Eye Damage/Irritation 2A H319 Causes serious eye irritation.

Signal Word Warning

Hazard Statements

H319 Causes serious eye irritation.

Precautionary Statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P264 Wash hands thoroughly after handling.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.



P337+P313 If eye irritation persists: Get medical advice/attention.

3 . COMPOSITION AND INFORMATION ON INGREDIENTS

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

97-64-3	Ethyl lactate	<10%
	 Flammable Liquids 3, H226;  Serious Eye Damage/Irritation 1, H318;  STOT SE 3, H335	

Additional information: This product contains non-ionic surfactants, perfume and other additives.

4 . FIRST AID MEASURES

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

(Contd. on page 2)

SAFETY DATA SHEET

According to Safe Work Australia

Printing date 12.10.2016

Revision: 12.10.2016

Product Name: Black Label Graffiti Remover

(Contd. of page 1)

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Seek medical attention if symptoms occur.

Ingestion:

If swallowed, do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention.

Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation and headaches.

Skin Contact: May cause skin irritation and redness.

Eye Contact: Causes serious eye irritation, tearing, redness and conjunctivitis.

Ingestion: May cause gastrointestinal irritation, nausea, vomiting, abdominal pain and diarrhoea. May be harmful if swallowed.

5 . FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Water fog, foam, dry agent or carbon dioxide.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include toxic gases such as oxides of carbon and nitrogen and hydrocarbons.

Combustible liquid.

Containers close to fire should be removed if safe to do so. Use water spray to cool fire exposed containers.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 . ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation. Extinguish all sources of ignition. Avoid sparks and open flames. No smoking.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal.

7 . HANDLING AND STORAGE

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

(Contd. on page 3)

SAFETY DATA SHEET

According to Safe Work Australia

Printing date 12.10.2016

Revision: 12.10.2016

Product Name: Black Label Graffiti Remover

(Contd. of page 2)

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from heat, sparks, open flames and other sources of ignition. Keep away from oxidising agents such as peroxides and hypochlorites.

8 . EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Standards:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls: Natural ventilation should be adequate under normal use conditions.

Respiratory Protection:

Use an approved Type A organic vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Nitrile gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 . PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Form:	Liquid
Colour:	Transparent yellow
Odour:	Mild soapy odour
Odour Threshold:	No information available
pH-Value:	3
Melting point/Melting range:	No information available
Initial Boiling Point/Boiling Range:	>220 °C
Flash Point:	>120 °C
Flammability:	Combustible Liquid Class 1
Auto-ignition Temperature:	No information available
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	No information available
Upper:	No information available
Vapour Pressure:	No information available
Density:	No information available
Vapour Density:	>1 (Air = 1)
Evaporation Rate:	No information available
Solubility in Water:	Soluble
Partition Coefficient (n-octanol/water):	No information available

(Contd. on page 4)

SAFETY DATA SHEET

According to Safe Work Australia

Printing date 12.10.2016

Revision: 12.10.2016

Product Name: Black Label Graffiti Remover

(Contd. of page 3)

10 . STABILITY AND REACTIVITY

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: Heat, sparks, open flames and other sources of ignition.

Incompatible Materials: Oxidising agents such as peroxides and hypochlorites.

Hazardous Decomposition Products:

Toxic gases such as oxides of carbon and nitrogen and hydrocarbons.

11 . TOXICOLOGICAL INFORMATION

Toxicity:

LD₅₀/LC₅₀ Values Relevant for Classification:

Route	LD ₅₀	Values
Oral	LD ₅₀	300 mg/kg (mouse)
		3200 mg/kg (rabbit)
		980 mg/kg (rat)

Acute Health Effects

Inhalation: May cause respiratory irritation and headaches.

Skin: May cause skin irritation and redness.

Eye: Causes serious eye irritation, tearing, redness and conjunctivitis.

Ingestion:

May cause gastrointestinal irritation, nausea, vomiting, abdominal pain and diarrhoea. May be harmful if swallowed.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects:

Repeated or prolonged eye contact may cause corneal burns and possible permanent damage.

Chronic skin contact may cause skin rash or dermatitis.

Existing Conditions Aggravated by Exposure: No information available

Additional toxicological information: No information available

12 . ECOLOGICAL INFORMATION

Ecotoxicity: No further relevant information available.

(Contd. on page 5)

SAFETY DATA SHEET

According to Safe Work Australia

Printing date 12.10.2016

Revision: 12.10.2016

Product Name: Black Label Graffiti Remover

(Contd. of page 4)

Aquatic toxicity: No further relevant information available.

Persistence and Degradability: No further relevant information available.

Bioaccumulative Potential: No further relevant information available.

Mobility in Soil: No further relevant information available.

Other adverse effects: No further relevant information available.

13 . DISPOSAL CONSIDERATIONS

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 . TRANSPORT INFORMATION

UN Number Not regulated

Proper Shipping Name Not regulated

Dangerous Goods Class Not regulated

Packing Group: Not regulated

15 . REGULATORY INFORMATION

Australian Inventory of Chemical Substances:

97-64-3	Ethyl lactate
7732-18-5	Water

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:

Not Scheduled.

16 . OTHER INFORMATION

Date of Preparation or Last Revision: 12.10.2016

Prepared by: MSDS.COM.AU Pty Ltd

www.msds.com.au

Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC₅₀: Lethal concentration, 50 percent

LD₅₀: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Flammable Liquids 3: Flammable liquids – Category 3

Serious Eye Damage/Irritation 1: Serious eye damage/eye irritation – Category 1

Serious Eye Damage/Irritation 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document “Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - December 2011”

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Sosafe Speciality Products Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own

(Contd. on page 6)

SAFETY DATA SHEET

According to Safe Work Australia

Printing date 12.10.2016

Revision: 12.10.2016

Product Name: S4

(Contd. of page 5)

determinations as to the suitability of the information provided to the particular circumstances in which the product is used.